## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Dat	Date of filing in State Engineer's Office DEC 23	3 1994	•		a jaje
	JAN & U	1995			,
	Returned to applicant for correction		!		
Cor	Corrected application filed		Map filed	March 1, 1995	under 60719
	· · · · · · · · · · · · · · · · · · ·		<u></u>		
	The applicant David & Cindy Owens		· 		
	2425 Solitude Drive Street and No. or P.O. Box No.	of	Reno	City of Town	· · · · · · · · · · · · · · · · · · ·
			· ·	•	
	State and Zip Code No.				· ·
	point of diversion and place of us	, manner of u	se, and/or place of use		
of v	of water heretofore appropriated under Permit	No. 25	5895 (Cert. by Permit, Certificate, 1	B090) Proof or Claim Nos. If De	ecreed, give title of Decree and
	identify right in Decree.	·			
ident	identify right in Decree.				
·. •			***************************************		
			,		***************************************
1.	The source of water is <u>underground</u> N	ame of stream	n, lake, underground sp	ring or other source.	
2.	2. The amount of water to be changed 86 acre-	feet or	r 0.354 cfs acre feet. One second fo	oot equals 448.83 gallons	per minute.
					of animals.
4.	4. The water heretofore permitted for irrigation irriga	on, power, mi	ining, industrial, etc. If	for stock state number an	d kind of animals.
5.	5. The water is to be diverted at the following point	withir De	n the SW's of	the NW1 of S	ection 19, T.12N ublic survey and by course and
	R.24E., M.D.B.&M. or at a point fr distance to a section corner. If on unsurveyed land, it should be state	om which	ch the SW co	rner of said	Section 19 bears
	S19 26'13"W a distance of 3,015.63				
				ub vel es ce	25 m 12M
6.	6. The existing permitted point of diversion is located	ed within.	the NE% Of If point o	the NE% OI Se f diversion is not changed	do not answer.
	R.23E., M.D.B.&M. or at a point fr	om which	ch the North	<u>east corner o</u>	f said Section 3
•	bears North 28 degrees 09 minutes	00 sec	onds East a	distance of 1	,463.00 feet.
7	7 December of the control of the con	he NW-	of the SWk	of Section 19	). Т.12N R.24E.
7.	7. Proposed place of use within the SW2 of t			_	
	the Ek of the SEk of Section 24. I	<u>'.12N</u>	R.23E. and	a portion of	the N's of the
	NE's of Section 25, T.12N., R.23.,	all of	M.D.B.&M.		
Q	8 Existing place of use 21.5 acres within	the SW	of the NE%	of Section 3	5, T.12N.,
о.	8. Existing place of use 21.5 acres within Describe by legal subdivision				
	R. 23E. M. D. B. &M. manner of use of irrigation permit, describe acreage to be removed for	rom irrigation	 <b></b> (		
9.	9. Use will be from April 1		to Octo	ber 31	of each year.
	9. Use will be from April 1 Month and Day 10. Use was permitted from April 1 Month and Day	· ·	to Oato	Month and Day	of each year
		_			and the second s
11.	11. Description of proposed works. (Under the prov	isions of	NRS 535.010 yo	ou may be require	d to submit plans and
	specifications of your diversion or storage works	<u>) dri</u>	lled well, p	ump and motor	- & ditches.
			. State manner	a which water is to be di	re, ace, the diversion subcluste,
	ditches, pipes and flumes, or drilled well, etc.		•	,	
12.	12. Estimated cost of works \$15,7000.00			( 'y	
13.	13. Estimated time required to construct works	years	· 		LALGARDAHAHHAHHAHHAHHAHAHAHAHAHAHAHAHAHAHAHA

***************************************	
***************************************	
	Bys/ Wyatt J. Owens
Compared sm/gkl <sup>jr/bk</sup>	1466 Highway 395
Compared	Gardnerville, Nevada 89410
Protested	
APPROVAL	OF STATE PAGENTER
	OF STATE ENGINEER
This is to certify that I have examined the foregoi following limitations and conditions:	ing application, and do hereby grant the same, subject to t
•	iversion and place of use of a portion of the
ertificate 8090 and with the understanding of the change proposed herein. The data totalizing meter must be installed at the point of diversion and accurate mean eneficial use. The totalizing meter must be installed and maintained to provide	der Permits 60719 and 60720 shall not exceed waive the requirements that the permit holdered local agencies.
The amount of water to be changed shall be limited to	the amount which can be applied to beneficial use, and not
	=-
feet per season and not to eveed a co	asonal duty of 4 0 acre-feet per acre of la
TITIGATER TROIT AND ANALOG ATT SOURCES.	abount duck of sin dote feet bet dete of the
	be completed on or before
Work must be prosecuted with reasonable diligence and l	be completed on or before
Work must be prosecuted with reasonable diligence and lead of the proof of completion of work shall be filed before	be completed on or before
Work must be prosecuted with reasonable diligence and leading the proof of completion of work shall be filed before	September 3, 1997  September 3, 1997  August 3, 2000
Work must be prosecuted with reasonable diligence and leading the proof of completion of work shall be filed before	be completed on or before
Work must be prosecuted with reasonable diligence and leading the proof of completion of work shall be filed before	September 3, 1997  September 3, 1997  August 3, 2000
Work must be prosecuted with reasonable diligence and leading the proof of completion of work shall be filed before	be completed on or before.  September 3, 1997  August 3, 2000  e filed on or before.  September 3, 2000  n or before.  September 3, 2000  September 3, 2000
Work must be prosecuted with reasonable diligence and leading the proof of completion of work shall be filed before	September 3, 1997  September 3, 1997  August 3, 2000  e filed on or before
Work must be prosecuted with reasonable diligence and leading the proof of completion of work shall be filed before	September 3, 1997  September 3, 1997  August 3, 2000  e filed on or before
Work must be prosecuted with reasonable diligence and leading to the proof of completion of work shall be filed before	September 3, 1997  September 3, 1997  August 3, 2000  e filed on or before